

# Uni-7 Series

PRICE COMPUTING SCALE  
with PRINTER  
and COLOR TOUCHSCREEN



# Uni-7 Series

PRICE COMPUTING SCALE  
with PRINTER and COLOR TOUCHSCREEN

## All kinds of spaces? Uni-fy and Unite

Standardize retail price-computing with the many variations of Ishida's Uni-7 Series

Whether operated from a back room, poised on a deli counter, or suspended somewhere in between, Ishida's Uni-7 is a must for today's modern retail settings. The complete Uni-7 Series showcases models for every station type, each a completely networkable scale base and printer, and each a variation on the same highly functional Uni-7 interface.

Front and center is the Uni-7's sleek titanium appearance and one-of-a-kind color touchscreen. Users can customize the display with their own unique product categories and PLUs. For the most lifelike experience, a tactile sensation and audible tone signals each press of a button. But that's just the beginning. Uni-7 is equipped with a quick-change, front-loading label cassette, and multilingual capability. Easily manage everything from frequent price changes to future meat and nutrition-labeling tasks. Innovation at its best, Ishida's Uni-7 Series is the tool of choice for unifying workspaces everywhere.

### Uni-7 Bench and Pole

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

A perfect counter-level or bench-top device, this all-in-one scale offers weighing, printing and price computing. Advertise directly to your customers on their own full-color display, housed within the scale itself (bench model) or on an elevated pole.

Nutrition Facts		Amount/Serving %Daily Value*	
Serving Size	4 OZ	Total Fat	4g 6%
Servings varies		Saturated Fat	15g 8%
Calories	130	Trans Fat	0g
Fat Calories	25	Cholesterol	65mg 22%
*Percent Daily values are based on a diet of 2,000 calories per day.		Sodium	50mg 2%
		Total Carbohydrate	0g 0%
		Protein	24g
		Calcium	2%
		Iron	14%

THANK YOU FOR YOUR BUSINESS  
Unit Price \$2.49  
Net Wt. 5.875 lb  
GROSS WEIGHT \$14.63  
RICE LAKE WEIGHING SYSTEMS 800-472-6703  
MAIL 15N16USA.COM



Quickly change Uni-7's label cassettes from the front, saving time for operators and customers alike.



## Uni-7 Hanging

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

The only hanging scale on the market with a full-color touchscreen. This space-saving, suspended design cradles product in its bowl-shaped pan. Keypad and display remain at eye level, away from busy work areas or moisture.



## Uni-7 Self-Serve

PRICE-COMPUTING SCALE/PRINTER/  
COLOR TOUCHSCREEN

Thanks to a simple, customized large-button keypad and pole-mounted color display, self-service applications are more feasible than ever. Customers view images for each PLU and follow instructions to weigh and print labels for their own merchandise.

*Aside from each transaction, Uni-7's full-color customer display is also a powerful tool for advertising in-store specials.*



## Uni-7 Elevated

PRICE-COMPUTING SCALE/PRINTER/COLOR TOUCHSCREEN

Ideal for recessed countertops and similar surfaces, Uni-7's Elevated Type keeps the scale base low while lifting the main controls to a more comfortable level. This model includes both an upper itemized receipt and lower label printer. Full-color customer display is also included at the back of the elevated control panel.



# Uni-7 Series

PRICE COMPUTING SCALE  
with PRINTER and COLOR  
TOUCHSCREEN

## Standard Features

- Large color touchscreen
- Dual-range weighing (0-15 lb x 0.005 lb/15-30 lb x 0.01 lb)
- Front-load label cassettes
- Internal wireless communications (WEP, WPA, WPA2)
- Ethernet communications
- Up to 99 pages of speed keys
- Adjustable touchscreen viewing angle
- 77 tactile keys
- 4 MB of memory
- Color graphics on customer-side display
- Self-serve mode/operation
- 30+ selectable fixed bar code formats
- Compatible with third-party communication software, including Invatron's PLUM, ADC's InterScale and Droste's PCScale Manager



## Models

Part #	Description
109366	Uni-7 Bench with internal RF 30lb capacity
155266	Uni-7 Bench with internal RF 60lb capacity
109367	Uni-7 Pole with internal RF 30lb capacity
155267	Uni-7 Pole with internal RF 60lb capacity
109369	Uni-7 Self-serve three panels with internal RF 30lb capacity
<b>With Elevated Keyboard and Display</b>	
109370	Uni-7 Single Printer with internal RF
Consult	Uni-7 Twin Printer with internal RF (includes Receipt Printer)
<b>Hanging</b>	
109371	Uni-7 Hanging Scale with internal RF
<b>Labeler (no scale base)</b>	
109368	Uni-7, Compact Label Printer with color touchscreen and internal RF
<b>Remote Scale Base</b>	
120673	Uni-7 RP with internal RF

## Options

- SLP-V scale management software, including label design, data back-up and remote diagnostics
- Seafood and produce platters

## Specifications

<b>Weighing capacity (Dual Range):</b>	0-15 x 0.005 lb; 15-30 x 0.010 lb
<b>Weighing accuracy:</b>	1/3000
<b>Operator Display:</b>	Color LCD, 7 in with positive input response
<b>Customer Display:</b>	Color LCD, 7 in
<b>Display Items:</b>	Tare: Four-digits Unit price: Six-digits Weight: Five-digits Total Price: Six-digits
<b>Preset Keys:</b>	1980: 20 x 99 pages
<b>Memory Capacity:</b>	4 MB expandable to 2 GB
<b>Communications:</b>	Static TCP/IP 10/100 Base T Ethernet Wireless WEP/WPA/WPA2
<b>Interface:</b>	USB port
<b>Platter:</b>	15.7 x 10.8 in (398 x 275 mm)
<b>Print Head:</b>	Direct thermal 2.2 in head (56 mm)
<b>Print Speed:</b>	3.2 /3.9 /4.7 /5.9 in/sec (80 /100 /120 /150 mm/sec)
<b>Label Size:</b>	Width: 1.2 - 2.5 in (30 - 64 mm) Length: 0.8 - 7.9 in (20 - 200 mm)
<b>Label Roll:</b>	Inside diameter: 1.6 in (40 mm) min Outside diameter: 3.9 in (100 mm) max
<b>Label Backing Paper:</b>	Width: Up to 2.6 in (66 mm)
<b>Power Supply:</b>	AC100V/120V, 50/60 Hz
<b>Power Consumption:</b>	Stand-by: 50W, In operation: 120W
<b>Classification:</b>	NTEP CC 07-099, UL listed
<b>Warranty:</b>	One-year limited warranty

## Certifications/Approvals



Bay Area Office  
Sausalito, CA 94965  
TEL: 415-692-6300  
Fax: 415-887-9554



Lone Peak Labeling  
1272 West 2240 South Suite B  
Salt Lake City, UT 84119 • us  
TEL: 801-975-1818  
FAX: 801-975-1865

www.lonepeaklabeling.com